



Turkey Run Creek section 1 mile E, 2 $\frac{1}{4}$ miles S of Randolph Depot

Measured by M. K. Elias

Date 1932

Remarks: II - 3 a.



22	Sh	
21	Sh, calc, splintery	1'
	Threemile ls member	
20	Ls, massive, with three flint bands	5'
19	Sh, calc	.2'
18	Ls	.7'
17	Sh, calc	.9'
16	Ls, with flint band	1'
	Spieser sh formation	
15	Sh, with Chonetes	.5'
14	Sh, calc, with Aviculopecten, Pseudomonotis, Chonetes, Juresania, Orbiculoidea, Straparollus, crinoid joints	.8'
13	Sh	1'
12	Mudstone with Pinna, Myalina, Aviculopecten, Pseudomonotis, Astartella, Juresania, Septopora	.5'
11	Sh, grn, calc in middle part	4.5'
10	Sh, maroon	1.1'
9	Sh, grn	.3'
8	Sh, brick red	1.1'
7	Sh, grn	.2'
6	Sh, maroon	.8'
5	Sh, grn	.3'
4	Sh, dk bluish-grn	.5'
3	Sh, purple	.4'
2	Sh, dk bluish-grn	.7'
1	Sh, mottled, grn and purple	.5 ^{ft}