

## REFERENCES CITED

- Abernathy, G.E., 1936, The Cherokee Group of southeastern Kansas: unpublished doctoral dissertation, University of Kansas, 108 p.
- Aitken, J.F., 1994, Coal in a sequence stratigraphic framework: *Geoscientist*, v. 4, no. 5, p. 9-12.
- Anderson, K.H., 1965, Forest City basin of Missouri, Kansas, Nebraska, and Iowa: *American Association of Petroleum Geologists Bulletin*, v. 49, p. 1564.
- Anderson, K.H., and Wells, J.S., 1968, Forest City basin of Missouri, Kansas, Nebraska, and Iowa: *American Association of Petroleum Geologists Bulletin*, v. 52, p. 264-281.
- Angino, E., Berg, J., Dellwig, L., Stanley, B., and Walters, R., 1981, Kansas oil shale: Kansas Energy Office, 42 p.
- ASTM, 2002, Petroleum products, lubricants, and fossil fuels, in *Annual Book of ASTM Standards 2002 D05.06*: American Society for Testing and Materials.
- Averitt, P., 1974, Coal resources of the United States, January 1, 1974; U.S. Geological Survey Bulletin 1412, p. 21-22.
- Bass, N.W., 1936, Origin of the shoestring sands of Greenwood and Butler counties, Kansas: *Kansas Geological Survey Bulletin* 23, 135 p.
- Bostic, J.L., Brady, L.L., Howes, M., Burchett, R., and Pierce, B.S., 1993, Investigation of the coal properties and the potential for coal-bed methane in the Forest City basin: U.S. Geological Survey Open File Report 93-576, 44 p.
- Brady, L.L., 1997, Kansas coal resources and their potential for coalbed methane: *Transactions of the 1997 American Association of Petroleum Geologists Mid-Continent Section Meeting*, p. 150-163.
- Brady, L.L., and Hatch, J.R., 1997, Chemical analysis of Middle and Upper Pennsylvanian coals from southeastern Kansas: *Current Research in Earth Sciences, Kansas Geological Survey Bulletin* 240, p. 43-62.
- Buatois, L.A., Mangano, G., and Carr, T.R., 1999, Sedimentology and ichnology of Paleozoic estuarine and shoreface reservoirs, Morrow Sandstone, Lower Pennsylvanian of southwest Kansas, USA: *Current Research in the Earth Sciences, Kansas Geological Survey Bulletin* 243, part 1.

- Cecil, C.B., 1990, Paleoclimate controls on stratigraphic repetition of chemical and siliciclastic rocks: *Geology*, v. 18, p. 533-536.
- Cecil, C.B., Dulong, F.T., Cobb, J.C., and Supardi, 1993, Allogenic and autogenic controls on sedimentation in the central Sumatra basin as an analogue for Pennsylvanian coal-bearing strata in the Appalachian basin, *in* Cobb, J.C., and Cecil, C.B., eds., *Modern and Ancient Coal-Forming Environments*: Boulder, CO, Geological Society of America Special Paper 286, p. 3-22.
- Charles, H.H., and Page, J.H., 1929, Shale-gas industry of eastern Kansas: *American Association of Petroleum Geologists*, v. 13, p. 367-381.
- Coleman, J.M., Gagliano, S.M., and Smith, W.G., 1970, Sedimentation in a Malaysian high tide tropical delta, *in* Morgan, J.P., ed., *Deltaic sedimentation, modern and ancient*: SEPM Special Publication 15, p. 185-197.
- Diessel, C.F.K., 1998, Sequence stratigraphy applied to coals seams: Two case histories: SEPM Special Publication 59, p. 151-173.
- Ebanks, W.J., James, G.W., and Livingston, N.D., 1977, Evaluation of heavy-oil and tar sands in Bourbon, Crawford, and Cherokee counties, Kansas; Final Report: U.S. Department of Energy, Bartlesville Energy Research Center Report of Investigations BERC/RI-77/20, 110 p.
- Flores, R.M., 1993, Coal-bed and related depositional environments in methane gas producing sequences, *in* *Hydrocarbons from Coal*: American Association of Petroleum Geologists, *Studies in Geology Series* 38, p. 13-37.
- Golanka, J., Ross, M.I., and Scotese, C.R., 1994, Phanerozoic paleogeographic and paleoclimatic modeling maps, *in* Emery, A.F., Beauchamp, B., and Glass, D.J., eds., *Pangea: global environments and resources*: Canadian Society of Petroleum Geologists, *Memoir* 17, p. 1-47.
- Gustavson, T.C., 1991, Buried vertisols in lacustrine facies of the Pliocene Fort Hancock Formation, Hueco Bolson, West Texas and Chihuahua, Mexico: *Geological Society of American Bulletin*, v. 103, p. 448-460.
- Harris, J.W., 1984, Stratigraphy and depositional environments of the Krebs Formation (Lower Cherokee Group, Middle Pennsylvanian) in southeastern Kansas: unpublished masters thesis, University of Kansas, 139 p.
- Haworth, E., and Crane, W.R., 1898, *Special Report on Coals*: Kansas University Geological Survey, v. 3, p. 1-347.

- Haworth, E., and Kirk, M.E., 1894, A geologic section along the Neosho River from the Mississippian Formation of the Indian Territory to White City, Kansas, and along the Cottonwood River from Wyckoff to Peabody: Kansas University Quarterly, v. 2, p. 104-115.
- Heckel, P.H., 1977, Origin of phosphatic black shale facies in Pennsylvanian cyclothems of mid-continent North America: American Association of Petroleum Geologists Bulletin, v. 61, p. 1045-1068.
- Howe, W.B., 1956, Stratigraphy of the pre-Marmaton Desmoinesian (Cherokee) rocks in southeastern Kansas: Kansas Geological Survey Bulletin 123, 132 p.
- Huffman, D.P., 1991, Stratigraphy and depositional environments of the Cherokee Group (Middle Pennsylvanian) Bourbon arch region, east-central Kansas: unpublished masters thesis, University of Kansas, 177 p.
- Hunt, J.M., 1996, Petroleum Geochemistry and Geology, Second Edition: W.H. Freeman and Company, New York, NY, p. 185-237.
- Jenden, P.D., Newell, K.D., Kaplan, I.R., and Watney, W.L., 1988, Composition and stable isotope geochemistry of natural gases from Kansas, Midcontinent, USA: Chemical Geology, v. 71, p. 117-147.
- Jewett, J.M., 1951, Geologic structures in Kansas: Kansas Geological Survey Bulletin 90, p. 105-170.
- Jewett, J.M., 1954, Oil and Gas in Eastern Kansas: Kansas Geological Survey Bulletin 104, 397 p.
- Jewett, J.M., O'Conner, H.G., and Zeller, D.E., 1968, The Pennsylvanian system, *in* Zeller, D.E. ed., The stratigraphic succession in Kansas: Kansas Geological Survey Bulletin 189, p. 21-43.
- Johnson, T.A., 2004, Core description of the Marmaton and Cherokee groups—Osborn L.L.C-Layne Energy Rose Hill #1-6 well (sec. 6-T.16S.-R.24E.) Miami County, Kansas: Kansas Geological Survey Open File Report 2004-00, 4 p.
- Johnson, T.A., Lange, J.P., Carr, T.R., and Newell, K.D., 2003, Stratigraphy, Depositional Environments, and Coalbed Methane Potential of Pennsylvanian Coals—Bourbon Arch Region, Eastern Kansas: Kansas Geological Survey Open-File Report 2003-51, 3 plates.

- Kansas Geological Survey, 2004, Gravity and Magnetic Maps of Kansas: URL <http://www.kgs.ku.edu/PRS/PotenFld/index.html>.
- Killen, D.B., 1986, Stratigraphy and depositional environments of the Cherokee Group (Middle Pennsylvanian), Sedgwick basin, south-central Kansas: unpublished masters thesis, University of Kansas, 165 p.
- Lange, J.P., 2003, Stratigraphy, depositional environments, and coalbed gas resources of the Cherokee Group coals (Middle Pennsylvanian)—southeastern Kansas: unpublished masters thesis, University of Kansas, 257 p., also Kansas Geological Survey Open-File Report, 2003-82; <http://www.kgs.ku.edu/PRS/publication/ofr2003-82/index.html>.
- Lange, J.P., Johnson, T.A., and Newell, K.D., 2003, Analysis of Cherokee Group coal samples for gas content and core description—Kansas Geological Survey Cooper #CW-1 well (SE SW SW 11-T35S-R18E), Labette County, Kansas: Kansas Geological Survey Open File Report 2003-43, 6p.
- Lee, W., 1943, The stratigraphy and structural development of the Forest City basin in Kansas: Kansas Geological Survey Bulletin 51, 142 p.
- Mavor, M.J., Close, J.C., and McBane, R.A., 1992, Formation evaluation of exploration coalbed methane wells, *in* Coalbed Methane, SPE Reprint Series 35, 27-38.
- McCabe, P.J., 1984, Depositional models of coal and coal-bearing strata, *in* Rahmani, R.A., and Flores, R.M., eds., Sedimentology of coal and coal-bearing sequences: International Association of Sedimentologists, Special Publication 7, p. 13-42.
- McCabe, P.J., 1987, Facies studies of coal and coal-bearing strata, *in* Scott, A.C., ed., Coal and coal-bearing strata: Recent addresses: Geological Society Special Publication 32, p. 51-66.
- McCabe, P.J., 1991, Geology of coal; Environments of deposition, *in* Gluskoter, H.J., Rice D.D., and Taylor, R.B., eds., Economic Geology, U.S.: Boulder, CO, Geological Society of America, The Geology of North America, v. P-2, p. 469-482.
- McCabe, P.J., and Parrish, J.T., 1992, Tectonic and climatic controls on the distribution and quality of Cretaceous coals, *in* McCabe, P.J., and Parrish, J.T., eds., Controls on the Distribution and Quality of Cretaceous Coals: Boulder, CO, Geological Society of America Special Paper 267, p. 1-15.

- McCabe, P.J., and Shanley, K.W., 1992, Organic control on shoreface stacking patterns: Bugged down in the mire: *Geology*, v. 20, p. 741-744.
- McLennan, J.D., Schafer, P.S., and Pratt, T.J., 1995, A guide to determining coalbed gas content: Gas Research Institute, Chicago, IL, GRI-94/0396, 180 p.
- Merriam, D.F., 1963, The Geologic History of Kansas: Kansas Geological Survey Bulletin 162, 317 p.
- Merriam, D.F., manuscript accepted 2004, Origin and development of plains-type folds in the Midcontinent (USA) during the late Paleozoic: American Association of Petroleum Geologists Bulletin.
- Merriam, D.F., and Forster, A., 2002, Stratigraphic and sedimentological evidence for late Paleozoic earthquakes and recurrent structural movement in the U.S. Midcontinent, *in* Ettensohn, F.R., Rast, N., and Brett, C.E., eds., Ancient seismites: Boulder, Colorado, Geological Society of America Special Paper 359, p. 99-108.
- Miall, A.D., 1999, In defense of facies classification and models: *Journal of Sedimentary Research*, v. 69, p. 2-5.
- Moore, R.C., 1931, Pennsylvanian cycles in the northern Mid-continent region: *Illinois Geological Survey Bulletin* 60, p. 247-258.
- Moore, R.C., 1936, Stratigraphic classification of the Pennsylvanian rocks in Kansas: *Kansas Geological Survey Bulletin* 83, 203 p.
- Nelson, C.R., 1999, Advances in coalbed reservoir gas-in-place analysis: Gas Research Institute, Gas Tips, v. 5, p. 14-19.
- Newell, K.D., Brady, L.L., Lange, J.P., and Carr, T.R., 2002, Coalbed gas play emerges in eastern Kansas basins: *Oil and Gas Journal*, v. 100.52, p. 36-41.
- Newell, K.D., Johnson, T.A., Brown, W.M., Lange, J.P., and Carr, T.R., 2004, Geological and geochemical factors influencing the emerging coalbed gas play in the Cherokee and Forest City basins in eastern Kansas: *Kansas Geological Survey Open File Report* 2004-17, 3 plates.
- Nio, S.D., and Yang, C.S., 1992, Diagnostic attributes of clastic tidal deposits: a review, *in* Smith, D.G., Reinson, G.E., Zaitlin, B.A., and Rahmani, R.A., eds., *Clastic tidal sedimentology*: Canadian Society of Petroleum Geologists, Memoir 16, p. 3-28.

- Pemberton, S.G., VanWagoner, J.C., and Grant, D.W., 1992, Ichnofacies of a wave-dominated shoreline, *in* Pemberton, S.G., ed., Applications of ichnology to petroleum exploration, a core workshop, SEPM Core Workshop 17.
- Posamentier, H.W., and Allen, G.P., 1999, Siliciclastic Sequence Stratigraphy—Concepts and Applications: SEPM Concepts in Sedimentology 7, 210 p.
- Potsma, D., 1982, Pyrite and siderite formation in brackish and freshwater swamp sediments: *American Journal of Science*, v. 282, p. 1151-1183.
- Rascoe, B.A., and Adler, F.J., 1983, Permo-Carboniferous hydrocarbon accumulations, Mid-Continent, U.S.A.: *American Association of Petroleum Geologists Bulletin*, v. 67, p. 979-1001.
- Retallack, G.J., 1988, Field recognition of paleosols, *in* Reinhardt, J., and Sigleo, W.R., eds., Paleosols and weathering through geologic time: Principles and application: *Geological Society of American Special Paper 216*, p. 1-20.
- Retallack, G.J., 2001, *Soils of the past: An introduction to paleopedology*, Second edition, Blackwell Science, 416 p.
- Rice, D.D., 1993, Composition and origins of coalbed gas, *in* Hydrocarbons from Coal: American Association of Petroleum Geologists, Studies in Geology Series 38, p. 159-184.
- Rightmire, C.T., 1984, Coalbed methane resource, *in* Rightmire, C.T., Eddy, G.E., and Kirr, J.N., eds., Coalbed Methane Resources of the United States, American Association of Petroleum Geologists Special Publication 17, p. 1-13.
- Scholes, P.L., and Johnston, D., 1993, Coalbed methane application of wireline logs, *in* Hydrocarbons from Coal: American Association of Petroleum Geologists, Studies in Geology Series 38, p. 20-54.
- Schultz, R.B., 1991, Geochemical characterization of black shale types in the mid-continent Pennsylvanian: unpublished doctoral dissertation, University of Cincinnati, 229 p.
- Staton, M.D., 1987, Stratigraphy and depositional environments of the Cherokee Group (Middle Pennsylvanian) central Cherokee basin, southeastern Kansas: unpublished masters thesis, University of Kansas, 102 p.
- Stewart, D.J., 1981, A meander-belt sandstone of the Lower Cretaceous of Southern England: *Sedimentology*, v. 28, p. 1-20.

- Stoeckinger, W.T., 1990, Kansas coalbed methane comes on stream: *Oil and Gas Journal*, v. 88.23, p. 88-90.
- Suchy, D.R., and West, R.R., 2001, Chaetetid buildups in a Westphalian (Desmoinesian) cyclothem in southeastern Kansas: *Palaios*, v. 16, p. 425-443.
- Tedesco, S.A., 1992, Coalbed methane potential assessed in the Forest City basin: *Oil and Gas Journal*, v. 90.6, p. 68-72.
- Tedesco, S.A., 2003, Coalbed methane potential and activity of the Western Interior Basin: American Association of Petroleum Geologists Abstracts of the 2003 AAPG Annual Meeting, May 11-14, 2003, Salt Lake City, UT.
- Van Wagoner, J.C., Mitchum, R.M., Campion, K.M., Rhamanian, V.D., 1990, Siliciclastic Sequence Stratigraphy in Well Logs, Cores, and Outcrops: American Association of Petroleum Geologists Methods in Exploration Series 7, 55 p.
- Walker, R.G., 1976, Facies models 1; General introduction: *Geoscience Canada*, v. 3, p. 21-24.
- Walton, A.W., 1996, Depositional framework and representative oil reservoirs of the Cherokee Group (Atokan-Desmoinesian, Middle Pennsylvanian), Eastern Kansas *in* Johnson, K.S. ed., Deltaic reservoirs in the southern Midcontinent, 1993 symposium: Oklahoma Geological Survey Circular 98, p. 168-187.
- Walton, A.W., Wojcik, K.M., Goldstein, R.H., and Barker, C.E., 1995, Diagenesis of Upper Carboniferous rocks in the Ouachita foreland shelf in mid-continent USA: an overview of widespread effects of a Variscan-equivalent orogeny: *Geol Rundsch*, v. 84, p. 535-551.
- Wanless, H.R., 1969, Marine and non-marine facies of the Upper Carboniferous of North America: *Compte Rendu de Congress International Stratigraphy Carboniferous*, Sheffield, v. 1, p. 293-336.
- Wanless, H.R., Baroffio, J.R., and Trescott, P.C., 1969, Conditions of deposition of Pennsylvanian coal beds, *in* Environments of coal deposition: Geological Society of America Special Paper 114, p. 105-142.
- Watney, W.L., Guy, W.J., and Byrnes, A.P., 2001, Characterization of the Mississippian chat in south-central Kansas: *American Association of Petroleum Geologists Bulletin*, v. 85, p. 85-113.

- Weller, J.M., 1930, Cyclical sedimentation of the Pennsylvanian period and its significance: *Journal of Geology*, v. 38, p. 97-135.
- Yee, D., Seidle, J.P., and Hanson, W.B., 1993, Gas sorption on coal and measurement of gas content, *in* *Hydrocarbons from Coal*: American Association of Petroleum Geologists, *Studies in Geology Series 38*, p. 203-218.
- Zaitlin, B.A., Dalrymple, R.W., and Boyd, R., 1994, The stratigraphic organization of incised-valley systems associated with relative sea-level change, *in* *Incised-Valley Systems: Origin and Sedimentary Sequences*: SEPM Special Publication 51, p. 45-60.
- Zeller, D.E., ed., 1968, *The stratigraphic succession in Kansas*: Kansas Geological Survey Bulletin 189, 81 p.