



DIGITAL LOG (785) 625-3858

Dual Compensated Porosity Log

15-051-26,259-00-00

API No. 15-051-26,259-00-00

Company Klabzuba Oil & Gas, Inc.
 Well North Trust #3-10-15-20
 Field N/A
 County Eliis
 State Kansas

Location SE SW NW SE
 1430' FSL & 2170' FEL

Sec: 3 Twp: 15S Rge: 20W

Other Services
 DIL
 MEL/BHCS

Permanent Datum Ground Level Elevation 2040
 Log Measured From Kelly Bushing 8 Ft. Above Perm. Datum
 Drilling Measured From Kelly Bushing

Date 2/21/2012
 Run Number One
 Type Log CNL / CDL
 Depth Driller 3883
 Depth Logger 3880
 Bottom Logged Interval 3859
 Top Logged Interval 2900
 Type Fluid In Hole Chemical
 Salinity, PPM CL 5000
 Density 9.1
 Level Full
 Max. Rec. Temp. F 117
 Operating Rig Time 5 Hours
 Equipment -- Location 91 Hays
 Recorded By D. Schmidt
 Witnessed By Dave Goldak

Elevation
 K.B. 2048
 D.F. 2040
 G.L. 2040

Borehole Record				Casing Record			
Run No.	Bit	From	To	Size	Wgt.	From	To
1	12.25	00	263	8.625	24#	00	263
2	7.875	263	3883				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.
 (785) 625-3858


Antonino,
 W to 140th, 1/2 S,
 W into

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
Correction			0.25

LSPD





Database File: c:\warrior\data\klabzuba_north trust #3-10-15-20\klabzuba_northtrust3-10hd.db
 Dataset Pathname: dil/klabstack
 Presentation Format: cndlspec
 Dataset Creation: Tue Feb 21 11:31:56 2012
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150	30	Compensated Neutron (Limestone)	-10			
6	Caliper (GAPI)	16	30	Compensated Density (Limestone)	-10			
			2.625	DGA	3.425	-0.25	Correction	0.25
			15000	Line Tension				0
								LSPD

