



Dual Compensated Porosity Log

DIGITAL LOG (785) 625-3858

API No.	15-007-23829-00-00		
Company	Chieftain Oil Co., Inc.		
Well	Millie "A" #1		
Field	Wildcat		
County	Barber		
State	Kansas		
Location	NW SE SE NW 2300' FNL / 2300' FWL		
Sec:	15	Twp:	35S
Rge:	11W		
Other Services	DIL		

Permanent Datum	Ground Level	Elevation	1313
Log Measured From	Kelly Bushing	8 Ft. Above Perm. Datum	
Drilling Measured From	Kelly Bushing		
Elevation	K.B.	1321	
	D.F.	1313	
	G.L.	1313	

Date	1/19/2012
Run Number	One
Type Log	CNL / CDL
Depth Driller	5568
Depth Logger	5573
Bottom Logged Interval	5552
Top Logged Interval	3500
Type Fluid In Hole	Chemical
Salinity, PPM CL	5300
Density	9.2
Level	Full
Max. Rec. Temp. F	132
Operating Rig Time	4 Hours
Equipment -- Location	15 Hays
Recorded By	R. Barnhart
Witnessed By	David A. Barker

Borehole Record				Casing Record			
Run No	Bit	From	To	Size	Wgt.	From	To
One	12.25	00	730	8.625	23#	00	730
Two	7.875	730	TD				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments


Thank you for using Log-Tech, Inc.
 (785) 625-3858


 Medicine Lodge, KS:
 S to Hwy 2, 3 1/2E,
 1S, 1/4W, N into


Database File: chiefhd.db
 Dataset Pathname: dil/chmain
 Presentation Format: cdl
 Dataset Creation: Fri Jan 20 00:54:58 2012
 Charted by: Depth in Feet scaled 1:600


0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
Correction			0.25
LSPD			









0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density	-10
2	Bulk Density	3
15000	Line Tension	0

10000		Line Tension	0
2.625	DGA	3.425	-0.25
			Correction
			0.25
			LSPD

Database File: chiefhd.db
 Dataset Pathname: dil/chmain
 Presentation Format: cndlspec
 Dataset Creation: Fri Jan 20 00:54:58 2012
 Charted by: Depth in Feet scaled 1:240

0	Gamma Ray	150	30	CNLS	-10				
6	Caliper (GAPI)	16	30	Compensated Density (2.71 ma)	-10				
				2.625	DGA	3.425	-0.25	Correction	0.25
				10000	Line Tension				0

