



DIGITAL LOG

(785) 625-3858

Dual Compensated
Porosity Log

15-009-25,670-00-00

API No.

Company Russell Oil, Inc.
Well Conner No. 12
Field Carroll
County Barton

State Kansas

Location 1460' FNL & 1225' FEL

Sec: 21 Twp: 17 S Rge: 14 W

Other Services
DIL
MEL

Permanent Datum Ground Level Elevation 1901
Log Measured From Kelly Bushing 9 Ft. Above Perm. Datum
Drilling Measured From Kelly Bushing

Elevation
K.B. 1910
D.F.
G.L. 1901

Date	3/21/2012	
Run Number	One	
Type Log	CNL / CDL	
Depth Driller	3440	
Depth Logger	3443	
Bottom Logged Interval	3422	
Top Logged Interval	2800	
Type Fluid In Hole	Chemical	
Salinity, PPM CL	5300	
Density	9.1	
Level	Full	
Max. Rec. Temp. F	112	
Operating Rig Time	3 1/2 Hours	
Equipment -- Location	91 Hays	
Recorded By	D Kerr	
Witnessed By	Kitt Noah	

Borehole Record

Casing Record

Run No.	Bit	From	To	Size	Wgt.	From	To
1	12.25	00	873	8.625	24#	00	873
2	7.875	873	3440				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Russell KS,
South to HWY 281 and HWY 4,
1 West, 1 1/2 North, West Into

Database File: c:\warrior\data\russell_conner no. 12\russell_conner_12hd.db
Dataset Pathname: DIL/rslstk
Presentation Format: cdl
Dataset Creation: Wed Mar 21 04:24:26 2012
Charted by: Depth in Feet scaled 1:600

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density			-10	
2	Bulk Density			3	
15000	Line Tension			0	
2.625	DGA	3.425	-0.25	Correction	0.25
LSPD					









