



Pioneer Energy Services

Dual Compensated Porosity Log

15-051-26,469-00-00

API No.	Company Staab Oil Company		
	Well Mary-Ann #1		
	Field Wildcat		
	County Eliis	State Kansas	
	Location	SE-NE-SW-NE 1960' FNL & 1585' FEL	
	Sec: 33	Twp: 12S	Rge: 19W
	Permanent Datum	Ground Level	Elevation 2124
	Log Measured From	Kelly Bushing	5 Ft. Above Perm. Datum
	Drilling Measured From	Kelly Bushing	
Date	2/9/2013		Other Services DIL MEL/BHCS
Run Number	One		Elevation K.B. 2129
Type Log	CNL / CDL		D.F. G.L. 2124
Depth Driller	3912		
Depth Logger	3916		
Bottom Logged Interval	3895		
Top Logged Interval	3100		
Type Fluid In Hole	Chemical		
Salinity, PPM CL	10,000		
Density	9.0		
Level	Full		
Max. Rec. Temp. F	115		
Operating Rig Time	5 Hours		
Equipment -- Location	15 Hays		
Recorded By	J. Henrickson		D. Kerr
Witnessed By	Randy Kilian		Frank Staab

Borehole Record				Casing Record			
Run No.	Bit	From	To	Size	Wgt.	From	To
1	12.25	00	229	8.625	24#	00	229
2	7.875	229	3912				

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Pioneer Energy Services
www.pioneerenergy.com
 785 625 3858

 Yocemento KS
 3 North, West Into

0	Gamma Ray	150
6	Caliper (GAPI)	16

30	Compensated Density		-10
2	Bulk Density		3
15000	Line Tension		0
2.625	DGA	3.425	-0.25
			Correction
			0.25
LSPD			











