



Pioneer Energy Services

Dual Induction Log

API No.	15-165-21,997-00-00	
Company	Black Tea Oil, LLC	
Well	Rose No. 1	
Field	Wildcat	
County	Rush	State
		Kansas
Location	SE NE NW NE 360' FNL & 1,440' FEL	
Sec: 34	Twp: 18S	Rge: 16W
Other Services CNL/CDL MEL/BHCS		

Permanent Datum	Ground Level	Elevation 1979
Log Measured From	Kelly Bushing	9 Ft. Above Perm. Datum
Drilling Measured From	Kelly Bushing	
Elevation	K.B. 1988	
	D.F. 1979	
	G.L. 1979	

Date	10/23/2012
Run Number	One
Depth Driller	3695
Depth Logger	3689
Bottom Logged Interval	3688
Top Log Interval	1000
Casing Driller	8.625 @ 1046
Casing Logger	1040
Bit Size	7.875
Type Fluid in Hole	Chemical
Salinity, ppm CL	4000
Density / Viscosity	9.0 40
pH / Fluid Loss	10.0 9.6
Source of Sample	Flowline
Rm @ Meas. Temp	.30 @ 74
Rmf @ Meas. Temp	.23 @ 74
Rmc @ Meas. Temp	.41 @ 74
Source of Rmf / Rmc	Charts
Rm @ BHT	.20 @ 113
Operating Rig Time	4 Hours
Max Rec. Temp. F	113
Equipment Number	108
Location	Hays
Recorded By	J. Long
Witnessed By	Marc Downing
	Chris Leiker

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Thank you for using Log-Tech, Inc.
(785) 625-3858

Rush Center, 12 East to 370 Road, 1 South, 3/4 East, South Into

Database File: blacktea_rose_1hd.db
 Dataset Pathname: dil/blackstck
 Presentation Format: dil2in
 Dataset Creation: Tue Oct 23 15:05:40 2012
 Charted by: Depth in Feet scaled 1:600

0 Gamma Ray 150
-200 SP 0

0 Shallow Resistivity 50
0 Deep Resistivity 50

1000 Conductivity 0

15000 Line Tension 0

50 Shallow Resistivity 500

50 Deep Resistivity 500









