



MIDWEST SURVEYS
 LOGGING - PERFORATING - CONSULTING SERVICES
 P.O. Box 66, Osawatomie, KS 66064
 913 / 735 - 2128

GAMMA RAY / NEUTRON / CCL

File No. _____

Company **RJ Enterprises**

Well **Hunley No. 4-1**

Field **Bush City Shoestring**

County **Anderson** State **Kansas**

Location **4355' FSL & 1831' FEL**

Sec. **16** Twp. **21S** Rge. **20E**

Perforated From **GL** Elevation **NA**

Log Measured From **GL** Elevation **NA**

Drilling Measured From **GL** Elevation **NA**

Date **04-16-2013**

Run Number **One**

Depth Driller **822.0**

Depth Logger **815.5**

Bottom Logged Interval **814.5**

Top Log Interval **20.0**

Fluid Level **Full**

Type Fluid **Water**

Density / Viscosity **NA**

Salinity - PPM Cl **NA**

Max Recorded Temp **NA**

Estimated Cement Top **0.0**

Equipment No. **102** Location **Oswatomie**

Recorded By **Gary Windisch**

Witnessed By **Jason Kent**

BOREHOLE RECORD				CASING RECORD			
RUN No.	BIT FROM	TO	SIZE	WGT.	FROM	TO	
One	9.875"	20.0	7.00"	17.0#	0.0	20.0	
Two	5.625"	20.0	2.875"	6.5#	0.0	816.0	

<<< Fold Here >>>


All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Drilling Contractor :
RJ Enterprises

Database File: **hurley4i.db**
 Dataset Pathname: **pass1**
 Presentation Format: **gr-n-ccl**
 Dataset Creation: **Tue Apr 16 12:13:08 2013 by Log SCH 111116**
 Charted by: **Depth in Feet scaled 1:240**

0	Gamma Ray (cps)	150	100	Neutron (cps)	1900
150	Gamma Ray (cps)	300			



04-16-2013
 Perforated Interval
 784.0 - 804.0 42 Perfs
 2" DML RTG

0	Gamma Ray (cps)	150	100	Neutron (cps)	1900
150	Gamma Ray (cps)	300			