



**MIDWEST SURVEYS**  
 LOGGING - PERFORATING - CONSULTING SERVICES  
 P.O. Box 66, Oskawatomie, KS 66064  
 913.735.2128

**GAMMA RAY / NEUTRON / CCL**

File No.

Company **SCZ Resources, LLC.**  
 Well **Kendall Dice No. I-17**  
 Field **Humbolt - Chanute**  
 County **Allen** State **Kansas**

Location **330' FSL & 1650' FWL**  
**SW-SE-SW**

Sec. **22** Twp. **26S** Rge. **18E**  
 Permian Datum **GL** Elevation **NA**  
 Log Measured From **GL**  
 Drilling Measured From **GL**

Date **04-09-2014**  
 Run Number **One**  
 Depth Diller **880.0**  
 Depth Logger **850.5**  
 Bottom Logged Interval **849.5**  
 Top Log Interval **20.0**  
 Fluid Level **Full**

Type Fluid **Water**  
 Density / Viscosity **NA**  
 Salinity - PPM Cl **NA**  
 Max Recorded Temp **NA**  
 Estimated Cement Top **0.0**  
 Equipment No. **102** Location **Oskawatomie**  
 Recorded By **Gary Winkisch**  
 Witnessed By **Jorge Ranz**

BORE-HOLE RECORD		CASINGS RECORD		TO		
RUN No.	BIT FROM	TO	SIZE	WGT.	FROM	TO
One	9.875"	0.0	7.00"	17.0#	0.0	20.0
Two	5.875"	20.0	890.0	2.875"	6.5 #	0.0
						856.0


<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Drilling Contractor :  
 JTC Oil, Inc.

Database File: dice17ik.db  
 Dataset Pathname: pass1  
 Presentation Format: gr-n-ccl  
 Dataset Creation: Wed Apr 09 08:53:27 2014 by Log SCH 111116  
 Charted by: Depth in Feet scaled 1:240



04-09-2014  
 Perforated Interval  
 779.0 - 784.0 11 Perfs  
 2" DML RTG

0 Gamma Ray (cps) 150  
 150 Gamma Ray (cps) 300  
 -1 CCL 1  
 100 Neutron (cps) 1900