



# DUAL INDUCTION LL3/GR LOG

Company COLT ENERGY, INC.  
Well CONGER # B10  
Field MORAN  
County ALLEN  
State KANSAS

Company COLT ENERGY, INC.  
Well CONGER # B10  
Field MORAN  
County ALLEN  
State KANSAS

Location: API #: 15-001-31232-0000  
SW SE SE SE  
191' FSL & 636' FEL  
SEC 14 TWP 25S RGE 19E  
Permanent Datum GL Elevation 1075'  
Log Measured From GL  
Drilling Measured From GL  
Other Services CDL/SWN  
Elevation  
K.B. ---  
D.F. ---  
G.L. 1075'

Date	4-28-2015
Run Number	ONE
Depth Driller	970'
Depth Logger	965'
Bottom Logged Interval	963'
Top Log Interval	SURFACE
Casing Driller	8 5/8" @ 21.50'
Casing Logger	8 5/8" @ 21.50'
Bit Size	6 3/4"
Type Fluid in Hole	MUD
Density / Viscosity	
pH / Fluid Loss	
Source of Sample	
Rm @ Meas. Temp	
Rmf @ Meas. Temp	
Rmc @ Meas. Temp	
Source of Rmf / Rmc	
Rm @ BHT	
Time Circulation Stopped	
Time Logger on Bottom	
Maximum Recorded Temperature	
Equipment Number	OW2
Location	HOMINY, OK
Recorded By	LOWERY
Witnessed By	MS. ASHLOCK

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

### Comments

OW2-8817  
CREW : SHAMBLES







# 2" DIL SECTION

Database File ow2-8817 colt energy.db  
 Dataset Pathname DIL/pass1.3  
 Presentation Format dil2mdcol  
 Dataset Creation Tue Apr 28 13:50:25 2015  
 Charted by Depth in Feet scaled 1:600

0	GR (GAPI)	150
0	SP (mV)	200

1000	CILD (mmho/m)	0
1000	CILM (mmho/m)	0
0	RLL3 (Ohm-m)	50
0	RILM (Ohm-m)	50
0	RILD (Ohm-m)	50





0	GR (GAPI)	150
0	SP (mV)	200

1000	CILD (mmho/m)	0
1000	CILM (mmho/m)	0
0	RLL3 (Ohm-m)	50

0	RILM (Ohm-m)	50
0	RILD (Ohm-m)	50




# 5" DIL SECTION

Database File ow2-8817 colt energy.db  
 Dataset Pathname DIL/pass1.2  
 Presentation Format dil5mdcol  
 Dataset Creation Tue Apr 28 13:49:16 2015  
 Charted by Depth in Feet scaled 1:240

0	Gamma Ray (GAPI)	150
0	SP (mV)	200


0.2	Deep Resistivity (Ohm-m)	2000
0.2	Medium Resistivity (Ohm-m)	2000
0.2	Shallow Resistivity (Ohm-m)	2000




50

100

150







200

250

300

350






400


450

500

550

600







650

700

750

800






850


900

950


0	Gamma Ray (GAPI)	150
0	SP (mV)	200



0.2	Deep Resistivity (Ohm-m)	2000
0.2	Medium Resistivity (Ohm-m)	2000
0.2	Shallow Resistivity (Ohm-m)	2000

Sensor	Offset (ft)	Schematic	Description	Length (ft)	O.D. (in)	Weight (lb)
			Cable-CableHead Isulation Sub	1.42	3.00	20.00



CILD SP	10.92 10.42		DIL-GEAR (158) Dual Induction Electrical Log	21.36	4.00	395.00
CILM	7.00					
RLL3	1.65					

Dataset: ow2-8817 colt energy.db: field/well/DIL/pass1  
 Total length: 22.78 ft  
 Total weight: 415.00 lb  
 O.D.: 4.00 in