

Kansas Geological Survey
Open File Report 95-61

KOGVIEW

A 'user-friendly' interface to
Kansas **O**il and **G**as production data, charts, and maps
through an 'Arc**V**iew' applications project

by

David R. Collins, Ph.D.
Petroleum Research Section


Jorgina A. Ross, Leader
Milind Raje, Graduate Research Assistant
Automated Cartography Team

October 31, 1995

Disclaimer

The Kansas Geological Survey does not guarantee this document to be free from errors or inaccuracies and disclaims any responsibility or liability for interpretations based on the data used in the production of this document or decisions based thereon. This report is intended to make results of research available at the earliest possible date, but is not intended to constitute final or formal publication.

KOGVIEW



A 'user-friendly' interface to
Kansas Oil and Gas production data, charts, and maps
through an 'ArcView' applications project.


Introduction:

The primary objective of this project is to interface the spatial oil and gas data pertaining to Kansas with the lease production data. The initial version is restricted to southwest Kansas. ARCVIEW provides a user-friendly platform for linking spatial and production data. It allows the user to perform queries and simple statistical operations on databases.

Following is the list of types of information that can be retrieved:

- through graphical access on the oil/gas field views, information pertaining to it.
 - * field_id
 - * production information
 - * horizon information
- production information at lease, field and county level
- production history at the field and county level. (plots of annual/cumulative production vs. time)
- views (i.e., color coded maps) of production levels for fields or county subdivisions of fields

The options available after opening the project are:



6 predesigned views

23 predefined tables

31 scripts

Examples of tables and scripts are attached.

An example of a sample script is included. However, for more information about the scripts the user may contact the developers of this project.

How to use:

When the project is initially opened, the main project window (kogview.apr) is the active window. The menu and tool buttons appropriate to the project are displayed at the top of the screen.

The user may toggle between different options available (views, tables, charts, layouts and scripts) by clicking the left mouse button on the appropriate icon. Clicking on the view/table/chart name has the effect of making the appropriate menu/tools options visible. To switch to the project menu options it is necessary to click on the project name in the main window. The usual windows options viz. close, restore, maximize and minimize are still applicable and the user may use them freely.

Following are the custom made menu and tool options designed specifically for this project.

Project: under this option three menu options are available. 1. production 2. graphs 3. maps. A detailed description of these menu options follows.

1. Production: There are four options available under this menu item.

a. County gas lease production information : User has to select a county. A table of production by lease is created consisting of all the leases in that particular county. Further screening of the data is also possible if the user decides to select a particular gas field in the county. Remember though that there is a possibility that the field may not entirely lie in the county, in which case only the lease pertaining to the given county are taken into account. Note that annual production is reported in all the tables created.

b. County oil lease production information: same as above.

c. Field gas production by lease: This option allows the user to create tables of annual production data by lease after specifying a particular field name. The user is prompted for a range of years of interest. Unlike the previous options this option takes into account all the leases in the field.

d. Field oil production by lease: same as above.

2. Graphs:

The menu options under this category allow the user to create charts (plots) of oil/gas production as a function of time. The user is given an option to choose between annual or cumulative production. The user is prompted for a range of years of interest. At the user's discretion a chart may be saved as a postscript file. The following options are available in this category:

a. County production history (oil/gas): with this option the user may chart production for a single county or may choose to compare two or more counties or all counties.

b. Field oil production history: same as above except that this applies to the individual oil fields in southwestern Kansas.

c. Field gas production history: same as above.

3. Maps:

This menu item is intended for allowing the users to create maps depicting the horizons, production levels and the growth of gas production pertaining to southwestern Kansas. There are six options available under this category.

a. Horizon location: The user is requested to select a particular horizon which is eventually displayed as a layout. The layout can be saved or printed as a postscript file.

b. Oil production levels by fields: This allows the user to create maps of annual production levels by fields. The user is prompted for a year. The map is color coded according to the amount of annual production in that particular year. One may choose to change the color scheme by clicking on the color palette button. Note that presently the option to create a layout from the view is not built in. Therefore, the users are requested to print the view as a postscript file.

c. Gas production levels by fields: same as above.

d. County specific oil production levels: The difference between this option and the ones mentioned above is that this takes into consideration the oil production pertaining to the leases that are part of a particular county. Note that a field may be "shared" by more than one county.

f. County specific gas production levels: same as above.

g. Growth of gas production: This allows the user to get an idea of how the gas leases developed over a period of time in southwestern Kansas. The user is prompted for a range of years. A prefabricated grid consisting of approximately 1 square mile cells is then color mapped according to the earliest year of production from a gas well located in a particular cell. The user may choose the spud year or the completion year for this purpose. The available databases differ in the extent to which spud year dates or completion dates were reported. Note that the completion year may be the same as or later than the spud year. By selecting different ranges of years for this map various aspects of gas production development can be illustrated.

Some useful buttons:

View : under this option there are a number of buttons which are of significance. We have listed the most relevant ones:



(red diamond) : This is a custom made tool. Clicking on this brings up a cursor that allows the user to query for information regarding fields displayed on the views titled: 'Oil fields of SW Kansas' and 'Gas fields of SW Kansas.' When this tool is activated, the cursor becomes a pointer for selecting fields in the appropriate view. Clicking the cursor on a field brings up general information about the field and in the case of gas fields, which may overlap, other fields in the same geographic location. The user is then prompted for further information. At this stage one may choose to quit or go further.



(zoom in) This allows the user to create a rectangle on a view. The portion of the view enclosed in the rectangle is enlarged.



(zoom out) Opposite of the above.



(binoculars) This is another custom made tool. Clicking on this allows the user to highlight a particular field on the views mentioned earlier.



(color palette) If the user is not satisfied with the color scheme, clicking on this tool brings up a color palette which allows to change the color scheme.




(hand) Grabs the view and allows to drag the display in the direction the cursor is moved.



unselects the selected (highlighted) features of an active view.

There are a number of other options available. One is advised to experiment with them freely. They are easy to use.

Note: From time to time the user may encounter the "Yes - No - Cancel" dialogue boxes. Clicking on the cancel option has the effect of exiting the program. We have tried to ensure this majority of the cases. However, there may be still some instances where this may not be so. Please bring to our attention if you notice this. Also, if you find any bugs or implementation problems do let us know. Users feedback is greatly appreciated. All the postscript files created will be located in the users home directory.



Growth of Gas Production

Counties



Years

0

1-39

40-49


50-59


60-69


70-79

80-89

90-95







Kogview.apr

New Open Run



Views




Tables



Charts



Layouts




Scripts

- County Annual Production Charts (Oil/Gas)
- County Lease Production Information (Gas)
- County Lease Production Information (Oil)
- County Oil Field Production Information
- Create a list of gas field Id's
- Creation of Gas Growth View
- Creation of Oil and Gas Field Views
- Field Chart
- Field Click
- Field location
- Field View
- Gas Field Chart
- Gas Field Chart for Red Diamond
- Gas Field Click
- Gas Lease Production Information
- Growth of Hugoton Gas Fields
- Horizon Information
- Horizon Location
- Make views for Production Levels
- Map of Gas Field Production Levels
- Map of Gas Production Levels (county Polygons)
- Map of Oil Field Production Levels
- Map of Production Levels (county Polygons)
- Menus for Project
- Oil Field Chart
- Oil Field Chart for Red Diamond
- Oil Field Click
- Oil Lease Production Information
- Open Color Palette
- Save as a layout
- Script1
- Script2
- Script3
- Startup
- UnjoinAll

Annual Gas Production History for RICHFIELD

Annual Gas Production history for RICHFIELD



```

' *****
' This script brings up information pertaining to a field
' when the user clicks on a field in the view. This script is executed
' when the Red diamond button is used
' Author: Milind Rajee
' Date: 8/2/95
' *****

```

```

theView = av.GetProject.FindDoc("Gas Fields in SW Kansas")
found = FALSE
p = theView.GetDisplay.ReturnUserPoint

athemelist = theView.GetThemes
for each thm in athemelist
  if(thm.GetName = "Gas Fields".AsString) then
    attributeTable2 = thm.GetFtab
    clickedRecords2 = thm.FindByPoint(p)
  end
  if(thm.GetName = "Oil and Gas fields".AsString) then
    attributeTable1 = thm.GetFtab
    clickedRecords1 = thm.FindByPoint(p)
  end
end
horizonVtab = av.GetProject.FindDoc("Horizon Data").GetVtab
fieldVtab = av.GetProject.FindDoc("Gas Field Production Data").GetVtab
field_info_not_found = TRUE

abd_year = Nil

code = 10
tempstring = "Number of leases:".AsString

for each record in clickedRecords2

  found = TRUE

  field_id2 = attributeTable2.ReturnValue(attributeTable2.
                                         FindField("Gashug_new-id"),record)
  code = attributeTable2.ReturnValue(attributeTable2.FindField("Code"),record)
  if(field_id2 <> 0) then
    for each rec in fieldVtab
      field_id = fieldVtab.ReturnValue(fieldVtab.FindField("field_id"),rec)
      if(field_id = field_id2) then
        field_info_not_found = FALSE
        field_name = fieldVtab.ReturnValue(fieldVtab.FindField("field_name"),rec)
        till_date = fieldVtab.ReturnValue(fieldVtab.FindField("Till_date"),rec)
        for each ayear in 93 .. 69 by -1

          ayear_prod = fieldVtab.ReturnValue(fieldVtab.
                                             FindField(ayear.AsString),rec)

          if(ayear = 93) then
            if(ayear_prod > 0) then
              break
            end
          end
          if(ayear_prod > 0) then
            abd_year = ayear
            break
          end
        end
      end

      lease_count = fieldVtab.ReturnValue(fieldVtab.FindField("lease_count"),rec)
      break
    end
  end
end

```

```

        end
    end
end

end

for each record in clickedRecords1

    found = TRUE
    has_oil_and_gas = FALSE

    field_id1 = attributeTable1.ReturnValue(attributeTable1.
        FindField("Oghug-id"),record)
    if((field_id1 = 2107) or (field_id1 = 6236) or (field_id1 = 6359)) then
        msgbox.info("Sorry,Gas production data unavailable!", "")
        exit
    end
    if(field_id1 <> 0) then
        has_oil_and_gas = TRUE
        tempstring = "Number of leases with gas:".AsString

        for each rec in fieldVtab
            field_id = fieldVtab.ReturnValue(fieldVtab.FindField("field_id"),rec)
            if(field_id = field_id1) then
                field_info_not_found = FALSE
                field_name = fieldVtab.ReturnValue(fieldVtab.FindField("field_name"),rec)
                till_date = fieldVtab.ReturnValue(fieldVtab.FindField("till_date"),rec)
                for each ayear in 93 .. 69 by -1
                    ayear_prod = fieldVtab.ReturnValue(fieldVtab.
                        FindField(ayear.AsString),rec)

                    if(ayear = 93) then
                        if(ayear_prod > 0) then
                            break
                        end
                    end
                    if(ayear_prod > 0) then
                        abd_year = ayear
                        break
                    end
                end

                lease_count = fieldVtab.ReturnValue(fieldVtab.FindField("lease_count"),rec)
                break
            end
        end
    end
end

end

if (not found) then
    System.Beep
    exit
end

if( field_id1 = field_id2) then
    System.Beep
    exit
end
afieldlist = List.Make
if(field_info_not_found) then
    msgbox.info("Sorry, data not available !", "")
    exit
end
afieldList.Add(field_name)

```

```
till_date.SetFormat("dd")
extra_info = ""
```

```
if((field_id2 <> 0)and(field_id1 = 0)) then
  if( code = 1) then
    extra_info = "Note:"++ field_name.AsString ++
                "field lies within Panoma and Hugoton Gas Areas"
    afieldList.Add("HUGOTON GAS AREA".AsString)
    afieldList.Add("PANOMA GAS AREA".AsString)
  else
    if( code = 2) then
      afieldList.Add("HUGOTON GAS AREA".AsString)
      extra_info = "Note:"++ field_name.AsString ++
                  "field lies within Hugoton Gas Area"
    else
      if( code = 3) then
        extra_info = "Note:"++ field_name.AsString ++
                    "field lies within Greenwood Gas Area"
        afieldList.Add("GREENWOOD GAS AREA".AsString)
      end
    end
  end
end
```

```
if((field_id2 <> 0)and(field_id1 <> 0)) then
  if( code = 2) then
    extra_info = "Note:"++ field_name.AsString ++
                "field lies within Panoma and Hugoton Gas Areas"
    afieldList.Add("HUGOTON GAS AREA".AsString)
    afieldList.Add("PANOMA GAS AREA".AsString)
  else
    if( code = 4) then
      if( field_id2 = 919) then
        extra_info = "Note:"++ field_name.AsString ++
                    "field lies within Greenwood Gas Area"
        afieldList.Add("GREENWOOD GAS AREA".AsString)
      else
        extra_info = "Note:"++ field_name.AsString ++
                    "field lies within Hugoton Gas Area"
        afieldList.Add("HUGOTON GAS AREA".AsString)
      end
    else
      if( code = 3) then
        extra_info = "Note:"++ field_name.AsString ++
                    "field lies within Greenwood Gas Area"
        afieldList.Add("GREENWOOD GAS AREA".AsString)
      end
    end
  end
end
```

```
aString = "Field Name: " ++ field_name.AsString +NL+ "Field Id: " ++ field_id.AsString
          +NL+ "Cumulative Production through 1993: " ++ till_date.AsString++ "mcf" +NL+
          tempstring ++lease_count.AsString +NL+
          extra_info
```

```
if(abd_year <> Nil) then
  aString = aString+NL+"Field abandoned in 19"+abd_year.AsString
end
if(has_oil_and_gas) then
  aString = aString+NL+"This field also has associated oil production"
```

```

end

hugString = "Field Name: HUGOTON GAS AREA" +NL+ "Field Id: 1144" + NL +
"Cumulative Production till date: 21043554304 mcf" +NL+
tempstring+" 6092"
panString = "Field Name: PANOMA GAS AREA" +NL+ "Field Id: 1761" + NL +
"Cumulative Production till date: 20004801664 cu ft" +NL+
tempstring+" 2463"
greenString = "Field Name: GREENWOOD GAS AREA" +NL+ "Field Id: 919" + NL +
"Cumulative Production till date: 1019780352 cu ft" +NL+
tempstring+" 316"

if(afieldlist.count = 2) then
  if(afieldlist.Get(1).AsString = "PANOMA GAS AREA".AsString) then
    aString = aString+NL+NL+panString
  else
    if(afieldlist.Get(1).AsString = "HUGOTON GAS AREA".AsString) then
      aString = aString+NL+NL+hugString
    else
      if(afieldlist.Get(1).AsString = "GREENWOOD GAS AREA".AsString) then
        aString = aString+NL+NL+greenString
      end
    end
  end
end
end

if(afieldlist.count = 3) then
  aString = aString+NL+NL+panString+NL+NL+hugString
end

msgbox.Report(aString,"General Information about the field")
theId = Field_id
toContinue = true
while(toContinue)

more = msgbox.YesNoCancel("Need additional information ?", "", "")
if(more = Nil) then
  exit
end

if(more) then
  thefield = msgbox.ChoiceAsString(afieldlist,"Choose the field","Field Selection")
  if(thefield.AsString = "HUGOTON GAS AREA".AsString) then
    field_name = "HUGOTON GAS AREA"
    theId = 1144
  else
    if(thefield.AsString = "PANOMA GAS AREA".AsString) then
      field_name = "PANOMA GAS AREA"
      theId = 1761
    else
      if(thefield.AsString = "GREENWOOD GAS AREA".AsString) then
        field_name = "GREENWOOD GAS AREA"
        theId = 919
      else
        theId = Field_id
      end
    end
  end
end

informationlist = { "Horizon Information", "Gas Production History","Lease Production"
thetype = msgbox.ChoiceAsString(informationList,"Select the type of information",
"Information Selection")

if(thetype = Nil) then
  exit
end
if(thetype.AsString = "Gas Production History".AsString) then

```

```
    av.Run("Gas Field Chart for Red Diamond",thefield)
else
  if(thetype.AsString = "Horizon Information".AsString) then
    infolist = List.Make
    infolist.Add(theId.AsString)
    infolist.Add(field_name.AsString)
    av.Run("Horizon Information", infolist)
  else
    av.Run("Gas Lease Production Information", theId)
  end
end
end

else
  exit
end
end
'endwhile

exit
```

```

' *****
' This script will let you choose the classification for the growth
' of Hugoton gas fields
' Author: Milind Raje
' Date: 8/25/95
' File Name: gasgrowth.ave
' *****
attributeTable = av.GetProject.FindDoc("Growth of Gas Production").
                GetThemes.Get(1).GetFtab

theTheme = av.GetProject.FindDoc("Growth of Gas Production").GetThemes.Get(1)

alist = { "Spud year", "Completion year", "Number of Wells" }

aType = msgbox.ChoiceAsString(alist, "Select a type of classification",
                              "Classify")

if(aType.AsString = "Spud year".AsString) then
    aString = "Spud_year"

else
    if(aType.AsString = "Completion year".AsString) then
        aString = "Completion_year"

    else
        aString = "No_of_wells"
        increment = 1
    end
end

aNumber = msgbox.input("Enter the number of divisions", "Divisions", "3")
no_of_divisions = aNumber.AsNumber + 1

if(aType.AsString <> "No_of_wells".AsString ) then
    increment = 94/no_of_divisions
end
increment = increment.Truncate

afield = attributeTable.FindField(aString)
theTheme.GetLegend.SetField(afield)
theTheme.GetLegend.Quantile(attributeTable, afield, no_of_divisions)
theLegend = theTheme.GetLegend

defaults = List.Make
labels = List.Make

defaults.Add("0".AsString)
labels.Add("Rangel".AsString)
prev = 0

for each i in 2 .. no_of_divisions
    from = prev + 1
    to = from + increment
    prev = to
    if( i = no_of_divisions) then
        to = to + increment
    end
    defaults.Add(from.AsString + "-" .AsString + to.AsString)
    labels.Add("Range".AsString + i.AsString)
end

rangeList = msgbox.multiInput("Enter the Range of Values for classification",
                              "Classification", labels, defaults)
aClassificationList = theLegend.GetClassifications

aClass = aClassificationList.Get(0)

```

```
aClass.SetRangeString("0".AsString)
aClass.SetLabel("0".AsString)
i = 0

for each aClass in aClassificationList
  if( i <> 0) then
    aClass.SetRangeString(rangeList.Get(i))
    aClass.SetLabel(rangeList.Get(i))
  end
  i = i + 1
end
aColor = Color.Make
aColor.SetTransparent(true)
theLegend.GetSymbols.Get(0).SetColor(aColor)
av.GetProject.FindDoc("Growth of Gas Production").GetWin.Open
exit
```