

**KANSAS GEOLOGICAL SURVEY
OPEN-FILE REPORT 2012-9**

PRELIMINARY GEOLOGY FIELD MAPS AND STRAIGRAPHIC
COLUMN, HASKELL COUNTY, KANSAS, RYUS, SUBLETTE, AND
SATANTA QUADRANGLES, 1:24,000 SCALE

By

JON SMITH
W.C. JOHNSON

Disclaimer

The Kansas Geological Survey does not guarantee this document to be free from errors or inaccuracies and disclaims any responsibility or liability for interpretations based on data used in the production of this document or decisions based thereon. This report is intended to make results of research available at the earliest possible date, but is not intended to constitute final or formal publications.

Kansas Geological Survey
1930 Constant Avenue
University of Kansas
Lawrence, KS 66047-3726

Stratigraphic Column Haskell County, Kansas

Jon J. Smith and William C. Johnson

Cenozoic Rocks

- Qal** **Undifferentiated alluvium**
Coarse gravel to clay; Holocene age
- Qt** **Alluvial terrace deposits**
Coarse gravel to clay; age of terrace fills ranges from Pleistocene to at least middle Holocene
- Qp** **Upland intermittent late (playa) deposits**
Shallow basins filled with silt, fine sand, and caliche in larger basins
- Qds** **Dune sand**
Sand dunes derived from Pleistocene terrace deposits
- Qss** **Sheet sand**
Sand occurring in sheets derived from Pleistocene terrace deposits
- Qas** **Active sand**
Areas of blow sand as they existed at the time of mapping
- Ql** **Loess**
Wind deposited silt, minor amounts of clay and fine sand, Pleistocene to late Holocene in age
- No** **Ogallala Formation**
Fluvial deposits of gravel, sand, silt, and clay, calcrete and volcanic lenses; primarily Miocene in age

Place Holder Only

Large Maps in Folder